

Website Accessibility Scan Report

Automated WCAG 2.2 Level AA analysis

Test Results **PASS**

<https://www.lisresilience.org/connect/>



Last Executed: 3/30/2026, 4:27:10 PM EDT

Accessibility Score

100/100

Errors

0

Warnings

2

Notices

0

WCAG Target:

WCAG 2.2 Level AA

Response Time:

4157ms

Run Profile:

Desktop

CMS/Analytics:

WP • G4:Y GTM:N

Pages Scanned:

1

Tags Used:

wcag22aa

Excluded Rules:

0

Tests Passed:

27/29

Settle Delay:

2000ms

Edge IP(s):

141.193.213.11

Total Exec Time:

18s

Audit Profile:

WCAG

Strict:

N

Intra:

Cloudflare

Top 10 Issues (sitewide)

#	RULE ID	IMPACT	PAGES	NODES	DESCRIPTION
No violations found.					

Pages with Highest Severity

#	PAGE	SEVERITY	ERRORS	WARNINGS	NOTICES	SCORE
1	https://www.lisresilience.org/connect/	6	0	2	0	100

All Pages

PAGE	VERDICT	SCORE	ERRORS	WARNINGS	NOTICES	TESTS	TIME
https://www.lisresilience.org/connect/	PASS	100	0	2	0	27/29	4157ms

Summary Table of Action

SEVERITY	ACTION	IMPACT
Critical	Fix Immediately	User is blocked.
Serious	Fix Soon	User is heavily hindered.
Moderate	Plan to Fix	User experiences friction.
Minor	Fix as Resources Allow	Best practice enhancement.

Scoring mode: Errors-only (critical+serious confirmed violations)

PASS/FAIL meaning: PASS indicates no automated axe "violations" were detected for the selected WCAG tags across scanned pages. Automated tools cannot prove full WCAG conformance; some criteria require manual testing.

WCAG coverage note: This report reflects automated checks only. It does not cover all WCAG success criteria (for example, many keyboard behavior, focus management, interaction logic, and content quality checks require manual review and/or assistive technology testing).

Copyright © 2026 Spruce Technology, Inc. All rights reserved.